



BOYD



T H E
Rental
S T O R E[®]

LEVEL UP YOUR RENTAL EXPERIENCE.

HASSLE-FREE RENTAL SUPPORT AND THE BEST EQUIPMENT SELECTION




RENTAL POWER SOLUTIONS AVAILABLE

ELECTRIC POWER | COMPRESSED AIR | TEMPERATURE CONTROL

BoydCat.com · 855-4BOYDCO

RENTAL PRODUCTS

SCISSOR LIFTS

Electric		Lift Cap.	Power
10' Nano		500 lb	Electric
13'		500 lb	Electric
19'		500 lb	Electric
19' Micro		500 lb	Electric
26'		1,000 lb	Electric
26' Micro		550 lb	Electric
26' Narrow		500 lb	Electric
32'		700 lb	Electric
32' Narrow		500 lb	Electric
40'		770 lb	Electric
46'		770 lb	Electric

Rough Terrain		
26'	500 lb	IC
33'	1,000 lb	IC
40'	1,500 lb	IC/Dual Fuel
53'	1,500 lb	IC
60'	1,200 lb	IC

Low Level Access		
7' Push Around	330 lb	Manual

Vertical Mast Lift		
12' Driveable	500 lb	Electric
15' Driveable	500 lb	Electric
20' Driveable	350 lb	Electric
30'/40' Push Around	350 lb	Electric

Vertical Mast Lift with Jib		
26' Toucan		
32' Toucan		

MINI SKID STEER LOADERS

Model	HP	Weight (lb)	Bkt Width	Rated Op Cap (lb)
SK600	24.8	2418	33.5"	600
SK800	24.8	2,920	36"-42"	911
SK1050	37	3,435	42"	1,062
SK1550	43.5	4,470	47"	1,978

SKID STEER LOADERS

Model	HP	Weight (lb)	Bkt Width	Rated Op Cap (lb)
226	67.1	5,849	68"	1,550
232	67.1	6,514	68"	1,900
236	74.3	6,567	68"	1,800
242	74.3	7,138	74"	2,200
246	74.3	7,478	74"	2,200
262	74.3	8,296	80"	2,700
272	98	9,133	80"	3,400
272 XE	110	9,573	80"	3,700

High flow available

BOOM LIFTS

Electric Articulating Boom	Lift Cap.	Power
30'	500 lb	Electric
33'	500 lb	Electric
34'	500 lb	Electric
40'	500 lb	Electric
45'	500 lb	Electric
60'	500 lb	Electric

Rough Terrain - Straight		
40'	500 lb	IC
45'/46'	500 lb	IC
60'	500 lb	IC
65'/66'	500 lb	IC
65' Tracked	500 lb	IC
80'	500 lb	IC
80' Tracked	500 lb	IC
85'/86'	500 lb	IC
125'	500 lb	IC
135'	660 lb – 1,000 lb	IC

Larger lifts available upon request

Rough Terrain - Articulating		
45'	500 lb	IC
60'/62'	500 lb	IC
80'	500 lb	IC
135'	600 lb	IC

Tow Behind		
34'	500 lb	Electric
50'	500 lb	Electric

Hydrid model available Gas/LP models available
Skypower and Welder Ready units available

CARRY DECK CRANES

Model	Lift Capacity (lb)	Max Tip Height
IC80 / ICe80*	16,750	46'8"
IC200	31,080	73'10"
IC280	41,340	88'9"
IC400	54,900	99'

* Indicates All Electric unit

COMPACT TRACK LOADERS

Model	HP	Weight (lb)	Bkt Width	Rated Op Cap (lb)
239	67.1	7,434	66"	1,530
249	67.1	7,831	66"	1,740
259	74.3	8,987	66-70"	2,010
255**	74.3	9,578	66-70"	2,499
279	74.3	10,095	80-86"	2,220
289	74.3	10,688	80-86"	2,890
265**	74	10,492	80-86"	2,823
299	98	11,464	80-92"	3,480
299XE	110	11,756	80-92"	3,560

High flow available Land Management Packages available
**Next Generation Unit



SITECH TECHNOLOGY RENTAL OFFERINGS

ON MACHINE RENTALS

GPS Guidance Control
Laser Guidance Control
UTS (robotic) Guidance Control

OFF MACHINE RENTALS

GPS Base Station Pipe Laser
GPS Rover Grade Lasers
Robotic Total Station

Full line of contractor supplies available.

UTILITY CARTS

UTV Two Seat Diesel/Gas
UTV Four Seat Diesel/Gas
Electric Cart Two Seater/Four Seater

RIDE ON SWEEPERS

Ride on 8' broom with A/C cab and blade
Ride on 8' towable broom

COMPACTION EQUIPMENT

Forward Plate Compactors
Reversible Plate Compractors
Rammers
Trench Rollers

ELECTRIC COMPACT CONSTRUCTION

Model	Type	Power	Weight (lb)		
Cratos CMX18	Mini Excavator	Electric 110V	3,642	7.5' Dig Depth	6-12 hrs runtime
Cratos 100ECO 2 Speed	Mini Skid Steer	Electric 110V	1,800	595 lb Operating Capacity	9 hrs runtime
Cratos ES800	Dumper	Electric 110V	1,075	Max payload 1,764 lbs	8-10 hrs runtime

AVAILABLE WORK TOOLS

Asphalt Cold Planers	Brush Cutters/ Mulching Head	Grapple Buckets/ Multi-Purpose Buckets	Harley Rakes/ Landscape Rakes	Trenchers	Auger with Bits	Hydraulic Hammers	Pickup & Angle Brooms	Pallet Forks	Grapple Rake	Flail Mowers	Multi Processors
----------------------	------------------------------	--	-------------------------------	-----------	-----------------	-------------------	-----------------------	--------------	--------------	--------------	------------------

WELDERS

Towable 250 to 500 Amp Diesel
Portable units upon request

AIR COMPRESSORS AND TOOLS

110 CFM to 400 CFM
30, 60, and 90 lb Breakers
Rock Drills and Chipping Hammers
Underground piercing tools

GENERATORS

Generators 2.5kW to 9.7kW

PUMPS

2", 3" Electric, Submersible, Portable
2", 3", 4" Gas, Trash, Portable
4", 6", 8" Diesel, Trash, Towable, Self Priming
Larger pumps available upon request

POWER BUGGY

Wheeled Buggy 16 cu. ft.
Track Buggy 12 -16 cu. ft. w/ Swivel options
Electric Buggy 15 cu. ft.

CONCRETE EQUIPMENT

Concrete Hopper .5YD- 3YD
Concrete Vibrators
18" to 36" Walk Behind Saws
Diamond/Abrasive Blades
Core Drills and Bits
Concrete Floor Grinders

MIXERS

Concrete Mixer 9 cu. ft.
Mortor Mixer 9 cu. ft.

POWER TOOLS

Electric Hammers
Breakers
Hammer Drills
14" Handheld Cutoff Saws
*Full Line of Hilti Products

EROSION CONTROL EQUIPMENT

Strawblower
Hydroseeder
Silt Fencer Installation Tool for SSLs

GROUND PROTECTION

Ground Protection Mats in 4x8 size
FOD (entry/exit trackout mats) 7x12 size

LIGHT PLANTS

3 kW models
6 kW models
LED options available

WALK BEHIND UNITS

Walk Behind Trenchers
Walk Behind Stump Grinders

HYDROVAC TRAILERS

HX30 500 cfm
HX50 1000 cfm
Used to **Safely** locate underground utilities

RENTAL PRODUCTS

DOZERS

Model	HP	Weight (lb)	Blade Options
D1/D3	80	17,465	VPAT/Mulcher
D2/D4	92	18,007	VPAT
D3/D5	104	20,313	VPAT
D4/D6K	130	29,258	VPAT
D5/D6N	170	42,263	VPAT
D6/D6T	215	50,733	VPAT, SU, S, A
D7	265	65,644	SU, S, A
D8/D8T	354	87,600	S, SU, A

Units with rippers, winches, and mulchers also available as well as LGP under carriages.

TRACK LOADERS

Model	HP	Weight (lb)	Bucket Range (yd ³)
953	160	34,594	2.4
963	202	44,881	3.2

HYDRAULIC HAMMERS

Model	Ft/Lbs	Carrier	Linkage
B1	147	Micro HEX	.9 - 2 ton Micro HEX
B6/B6S	501	CTL/Mini HEX	3-6 ton Mini HEX
H65	800	CTL/Mini HEX	3-6 ton Mini HEX
B8	848	BHL/307/308/309	8-9 ton Mini HEX
B9	959	310	10 ton Mini HEX
H95	1,500	BHL/307/308/309	7-10 ton Mini HEX
H110GCS	1,475	313/315	A Linkage
H115GCS	2,212	316/317/318	316/317/318 Linkage
H115S	3,000	316/317/318	316/317/318 Linkage
H120GCS	2,950	320/323/325	B Linkage
H130GCS	4,425	320/323/325	B Linkage
H130S	4500	320/323/325	B Linkage
H140GCS	5,531	326/329/330/335	CB Linkage
H140S	6,000	326/329/330/335	CB Linkage
H160GCS	7,500	336/340	DB Linkage
H160S	8,500	336/340	DB Linkage
H180S	12,000	349/350/352	TB Linkage
H190S	13,000	374	VB Linkage

MOTOR GRADERS

Model	HP	Weight (lb)	Moldboard Length
Weiler 65E	114	16,800	10'
120M2/120	139	35,067	12'
12M3/140	179	42,647	12'/14'
140M3/150	200	43,950	12'/14'

EXCAVATORS

Micro HEX					
Model Range	HP Range	Weight (lb)	Dig Depth Range	Width Range	Linkage
300.9 - 302.7	13 - 23.6	2,061 - 6,725	5.68' - 9'	2.4' - 5.15'	.9 - 2 ton Micro HEX

Mini HEX					
Model Range	HP Range	Weight (lb)	Dig Depth Range	Linkage	
303 - 310	26.3 - 69.5	7,817 - 22,451	9.6' - 17.1'	3 - 10 ton Mini HEX	

Small HEX					
Model Range	HP Range	Weight (lb)	Dig Depth Range	Linkage	
313-317	73-133	30,400 - 40,200	10' - 21'	A Linkage / 317 Linkage	

Medium HEX					
Model Range	HP Range	Weight (lb)	Dig Depth Range	Linkage	
320 - 335	146 - 273	38,500 - 77,000	22' - 23.9'	B Linkage/ CB Linkage	

Large HEX					
Model Range	HP Range	Weight (lb)	Dig Depth Range	Linkage	
336-395	300 - 542	81,100 - 207,400	25.1' - 31.9'	DB Linkage/ TB Linkage/ VB Linkage/ JC Linkage	

ARTICULATED TRUCKS
(EMPTY WEIGHT)

Model	HP	Weight (lb)	Capacity (CYD)	(RATED PAYLOAD) Max Load
Hydrema 912HM	141	41270	7.3	11 ton
Hydrema 922G HM	314	31195	15.7	24 ton
725	342	50975	19.6	26.5 ton
730	375	52690	23	31 ton
735	424	55645	26.2	35.3 ton
740GC	452	71377	29.7	40 ton
745	511	73553	32.7	45.2 ton



SCAN THE QR CODE TO VIEW THE FULL EQUIPMENT RENTAL LINE.

WHEEL LOADERS

Compact W/L			
Model	HP	Bucket (CYD)	Weight (lb)
903 - 920	42 - 121	.8 - 4.6	9,414 - 21,742

Small W/L			
Model	HP	Bucket (CYD)	Weight (lb)
926 - 938	170 - 190	2.5 - 6.5	27,972 - 36,839

Medium W/L			
Model	HP	Bucket (CYD)	Weight (lb)
950 - 982	249 - 404	3.75 - 22.5	42,461 - 78,264

Large W/L			
Model	HP	Bucket (CYD)	Weight (lb)
988	541	6.2 - 17.0	112,474

RUBBER TRACK CARRIER

Model	HP	Max Load (lb)	Machine Weight (lb)
MST1500VD	225	15,435	24,720
MST1500VDR	225	15,435	28,100
MST2200VD	250	24,255	31,820
MST2200VDR	250	24,255	35,273
MST3000VD	300	33,100	33,140

FORKLIFTS

Lift Capacity (lb)	Lifting Height	Gross Weight (lb)	Fuel Type
4000	277"	7,370	Gas/LPG
5000	277"	7,990	Gas/LPG
6000	277"	9,400	Gas/LPG/Diesel
8000	238"	13,050	Gas/LPG/Diesel
9000	238"	13,820	Gas/LPG/Diesel
11000	181"	15,560	Gas/LPG/Diesel
12000	189"	16,688	Gas/LPG/Diesel

TRENCH SHORING

Steel boxes from 4' to 10' high, 8' to 28' long
AluminumBoxes available
MOD Boxes available
Stone Savers, 5yd, 7yd, 9yd, 12yd
Road Plates, 4'x8', 8'x10', other sizes upon request
Slide Rail Systems available upon request
Manhole Shields height 4' to 8', width 8' to 12'

ON-ROAD DUMP TRUCKS

Single Axle 5/6 yd
Utility Dump truck 2/3 yd
Tandem Axle Dump Truck
Tri Axle Dump Truck

WATER TRUCKS

2,000 to 9000 gallon capacity
On Road and Off Road trucks available

VIBRATORY SOIL COMPACTORS

PAD FOOT			
Model	Drum Width	Type	Static Weight (lb)
CS44 /CS7	66"	Smooth Drum	15,894 - 16,276
CS54 /CS10GC/ CS11GC	84"	Smooth Drum	23,136 -24,775
CS56/CS12GC	84"	Smooth Drum	25,346 - 27,900
CP44 /CP7	66"	Pad Foot	16,471-16,990
CP54/CP11 GC	84"	Pad Foot	24,539- 25,109
CP56/CP12 GC	84"	Pad Foot	25,707 - 27,869

ASPHALT ROLLERS

Model	Drum Width	Type	Static Weight (lb)
RD12	35.4"	Double Drum	2,689
CB24 / CB2.7/ CB2.7GC	47"	Double Drum	5,936
CB36	55"	Double Drum	8,856
CB54/CB10	67"	Double Drum	21,638
CB13	79"	Double Drum	27,557
CB64/CB15	84"	Double Drum	28,958

BACKHOE LOADERS

Model	HP	Weight (lb)	Dig Depth
415	70	24,250	14.0'
416/416 IT	74	22,466	14.3'
420/420 IT	93	24,251	14.3'
430/430 IT	108	24,251	15.4'

TELEHANDLERS

Model	Lift Capacity (lb)	Lift Height	Weight (lb)
3013	2,700	13'	5,280
TH255	5,500	18.37'	11,000
6034	6,000	34'	14,500
TL642 / 6042	6,500	42'	22,002
8042	8,000	42'	21,200
TL943	9,000	43'	25,750
TL1055 / 10054	10,000	54.9'	31,879
TH514	11,000	45.6'	26,211
TL1255 / 12054	12,000	54.6'	34,361
P65.14 HM	14,400	45.6'	34,800
TH 1644	15,650	43.7'	33,660
P120.10 HM	28,500	32.2'	35,750

ROTATING TELEHANDLERS

Model	Lift Capacity (lb)	Lift Height	Weight (lb)
R1100	11,000	97'	52,650
R1385	13,200	84'6"	50,570
RTH 7.26	15,400	84'3"	45,635

RENTAL POWER SOLUTIONS

ELECTRIC POWER | COMPRESSED AIR | TEMPERATURE CONTROL



SCAN THE QR CODE TO VIEW
THE FULL RENTAL POWER LINE.

BoydCat.com • 855-4BOYDCO

BOYD THE RENTAL STORE

RENTAL POWER SOLUTIONS

ELECTRIC POWER | COMPRESSED AIR | TEMPERATURE CONTROL

25 KVA 2280 KVA GENERATOR SETS

Generator sets come self-contained, with trailer, or skidmounted fuel-tank bases for easy travel and delivery. Units range from 25 kva portable units to 2280 kva power modules with utility-grade switchgear. Sound-attenuated XQ modules are quiet and all equipment is EPA certified.

From building construction and disaster relief, to concert stage lighting and peak-time utility power, Boyd CAT® has the equipment to fit your needs.

Applications:

- Standby Power
- Prime Power
- Parallel Load Sharing and Peak Shaving
- Major Utility Installations
- UPS Quality Power
- Rental Power for Special Events



ELECTRICAL PANELS

Boyd CAT 60 – 1200 amp panels provide outlets for a wide range of applications such as plant maintenance or shutdowns.



TRANSFORMERS

Transformers provide multiple voltage connections. They can be used to increase or decrease voltage, supply power to your power grid, and isolate your critical loads. Our transformers are set up specifically for rental and include cam-lock inputs and outputs, fork pockets, and reinforced sub frame with lifting eyes.



CABLES

Our 4/0 cam-lock single conductor cables used individually provide up to 400 amp loads and in parallel for larger load requirements. Size #2 cam-lock single conductor cables are used to provide up to 150 amp loads.



CABLE RAMPS

Protect many types of cables, up to 1.25" diameter. Combine units with interlocking design.

FUEL TANKS

500 – 2500 Gallon Diesel

BoydCat.com • 855-4BOYDCO



AIR COMPRESSORS

Boyd CAT knowledge of compressed air allows us to provide our customers with specific cfm, psig, or dew point requirements for any application. Portable compressor packages provide reliable, clean, dry air. All compressor units deliver low-cost air at any flow and pressure for the ultimate in flexibility, whether you need Oil-Free or Instrument Quality.

Applications:

- Air-Powered Controls, Valves, Dampers, and Cylinders
- General Purpose Construction Air
- General Purpose Plant Air
- Mining and Drilling Applications
- Critical Process Air (Oil Free)
- Painting and Sandblasting
- Pneumatic Material Transfer

ELECTRIC COMPRESSORS

Applications:

- Air-Powered Controls, Valves, Dampers, and Cylinders
- General Purpose Construction Air
- General Purpose Plant Air
- Mining and Drilling Applications

OIL FREE AIR COMPRESSORS

The 100% oil free air with no danger of system problems or damage to work in process. Built with fewer components, their simplified design offers premium performance and minimal maintenance. Available in diesel and electric power.

AIR DRYERS

Sullair and Reco Heatless desiccant air dryers ranging from 400-1600CFM providing -40 degree pressure dew point.

20 TON ENTERTAINMENT UNIT AIR CONDITIONER

Our entertainment units (20 ton air conditioning units) are self-contained and provide conditioned air for indoor or outdoor rental applications. Units are sound attenuated and are equipped with high efficiency scroll-type compressors, which allow for cold starting—no preheat required.

Applications:

- Temporary Structure
- Event Cooling and Optional Heating

20T to 80T AIR CONDITIONER

Applications:

- Cooled Air for Confined Spaces
- Dense Air Injection
- Large Motor Cooling
- Temporary Structure
- Event Cooling and Optional Heating

WATER-COOLED

Boyd CAT offers water-cooled and air-cooled industrial chiller rentals suited for numerous long- or short-term applications. From structure to process cooling, our chiller rentals offer you a dependable option for your temperature control needs.

We are the experts in commercial chiller rental and will help you find the right solution for your application. Boyd CAT will calculate your cooling needs, and we will also deliver, install, build and service your equipment. Our team will design your rental system to provide your required performance while staying in compliance with code and safety requirements. Whichever chiller rental you select, you can trust that you are getting a piece of equipment that you can rely on.

HEATERS

Boyd CAT has a wide range of heater options 4,000 – 1,000,000. Propane, natural gas, diesel, direct fired, indirect fired, or electric. Boyd CAT has a solution for all of your construction, comfort, and process heating needs.



FLEXIBLE DUCT

PVC vinyl coated polyester fabric hose reinforced with a spring steel wire helix and external wearstrip. All hose ends have a belted cuffed end for simple installation. Available in 14" or 20" diameter; standard length 25'.



BoydCat.com · 855-4BOYDCO



WORK SMARTER
USE YOUR FREE CAT® RENTAL STORE ACCOUNT

CUSTOMER PORTAL

CAN BE USED ON A MOBILE APP
OR COMPUTER/DESKTOP

You have a powerful, digital tool to manage your rental business in an accessible, easy, and convenient way. You just have to use it!

Your Customer Portal Account allows you to:

- › Manage your rental contracts and invoices
- › Get fast, high-quality service
- › Take full control of multiple jobsite activities
- › View all your rentals and optimize your work



WHAT ARE YOU WAITING FOR?
Be part of the equipment rental digital era:
use your CatRentalStore.com customer portal
account now.



BoydCat.com · 855-4BOYDCO

The **PERMANENT SOLUTION** to your Temporary Power Needs

Boyd CAT® is your one source for all your Power Rental needs. From disaster relief or scheduled power system maintenance to a standby power supply or a special event. Our fleet of over 25 megawatts of mobile generator sets are engineered for easy transporting and fast installation, designed to work alone or in redundancy and to meet your greatest power need in the shortest time.

In addition to generators, Boyd CAT Rental Power delivers air compressors and temperature control products whenever and wherever you need them. Boyd CAT is hard at work around our region and around the country providing single-source access to all product and accessory needs. We are with you every step of the way to help you design a solution, deliver the equipment, and provide any technical support, service, and training you might need along the way.





SCAN QR CODE TO
ACCESS ONLINE AND
DOWNLOAD BROCHURE

19 LOCATIONS



BOYD



OVER 175 YEARS OF SERVICE 

OVER 30 OF THE BEST MANUFACTURERS 

OVER 500 SERVICE TECHNICIANS 

OVER 160 FIELD SERVICE TRUCKS 

OVER 1,000 YEARS OF COMBINED RENTAL INDUSTRY EXPERIENCE 

OVER 11,000 ITEMS TO RENT 

BOYD



BoydCat.com

APPLE GROVE

34 Bladen Lane
Ashton, West Virginia 25503
(304) 220-5029

ASHLAND

12251 US 60
Ashland, Kentucky 41102
(606) 928-3444

BECKLEY

1314 Robert C. Byrd Drive
Crab Orchard, West Virginia 25827
(304) 253-2706

BELLE

1400 E. Dupont Avenue
Belle, West Virginia 25015
(304) 949-6400

BOWLING GREEN

390 High Rail Way
Bowling Green, Kentucky 42101
(270) 843-3275

CORBIN

2200 S. Kentucky Avenue
Corbin, Kentucky 40701
(606) 528-3140

DRY RIDGE

215 Meeks Road
Dry Ridge, Kentucky 41035
(859) 823-1500

ELIZABETHTOWN

131 Parkway Drive
Elizabethtown, Kentucky 42701
(270) 769-1300

EVANSVILLE

2420 Lynch Road
Evansville, Indiana 47711
(812) 425-4651

HOPKINSVILLE

211 Commerce Court
Hopkinsville, Kentucky 42240
(270) 885-1700

JACKSON

1477 Mayhew Road
Jackson, Ohio 45640
(740) 286-7566

JEFFERSONTOWN

10910 Electron Drive
Louisville, Kentucky 40299
(502) 244-5700

JEFFERSONVILLE

6109 Hamburg Pike
Jeffersonville, Indiana 47130
(812) 284-1217

LEXINGTON

1900 Jaggie Fox Way
Lexington, Kentucky 40511
(859) 254-2756

LOUISVILLE

4401 Boyd Way
Louisville, Kentucky 40211
(502) 774-4441

NITRO

3 Park Road - HUB Industrial Park
Nitro, West Virginia 25143
(304) 759-6400

PADUCAH

1600 North 8th Street
Paducah, Kentucky 42001
(270) 443-3631

PARKERSBURG

4010 Emerson Avenue
Parkersburg, West Virginia 26104
(304) 424-0200

PIKEVILLE

359 S. Lanks Branch
Pikeville, Kentucky 41501
(606) 437-6265

855-4BOYDCO

©2024 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow," the "Power Edge" and Cat "Modern Hex" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission. www.cat.com / www.caterpillar.com